

# **BROWSER SERVICE**

# **INDEX**

INTRODUCTION	3
COMMANDS	4
XPEAK_COMMAND_CLOSE (v.0706)	5
XPEAK_COMMAND_GET_CAPABILITIES (v.0706)	6
XPEAK COMMAND NAVIGATE (v.0706)	7

# **INTRODUCTION**

This documentation details the specific set of commands for browser devices. These, along with *common commands* conform the complete set of commands available for browser devices. Sometimes, certain *common commands* can be overwritten within a specific service, because they change their behavior. In the case of **Browser Service**, following commands are overwritten:

XPEAK\_COMMAND\_GET\_CAPABILITIES

All commands described here meet the Xpeak specification General Message Format

Xpeak	<b>Specifications</b>	(BROWSER	SERVICE)
-------	-----------------------	----------	----------

# **COMMANDS**

# XPEAK\_COMMAND\_CLOSE (0x7060168)

Version: 0706

# **Description:**

This command closes the browser identified by the parameter WindowId.

# Parameters:

• String Windowld

The identifier of the Browser (previously opened with the command XPEAK\_COMMAND\_NAVIGATE) that will be closed.

# Result:

See Common Results

# **XPEAK\_COMMAND\_GET\_CAPABILITIES** (0x7060017)

Version: 0706

# **Description:**

Returns the device capabilities. Depending on them, the application behavior should be different and should be adapted to the peripheral characteristics.



See Common Results

# XPEAK\_COMMAND\_NAVIGATE (0x7060166)

## Version: 0706

# **Description:**

Creates and Open a new browser based on the characteristics defined by the parameters.

## Parameters:

#### • String WindowId

The identifier of the browser. This identifier will be required when closing the browser with the command XPEAK\_COMMAND\_CLOSE.

#### • String Title

The title of the browser to open

#### • Unicode Url

Initial Url to open on the browser. Each character will be two bytes, using UNICODE.

#### • int X

The horizontal position, in pixels, of the new browser window to open. If the value of this parameter is -1, the browser window will be opened horizontally centered on the screen.

## • int Y

The vertical position, in pixels, of the new browser window to open. If the value of this parameter is -1, the browser window will be opened vertically centered on the screen.

#### • int Width

The width, in pixels, of the browser window to open. If the value of this parameter is -1, the width will be the screen width.

#### • int Height

The height, in pixels, of the browser window to open. If the value of this parameter is -1, the height will be the same as the screen height.

## • boolean CanMinimize

Indicates if the browser window can be minimized.

### • boolean CanMaximize

Indicates if the browser window can be maximized.

### • boolean CanClose

Indicates if the browser window can be closed.

## • boolean CanResize

Indicates if the browser window can be resized.



See Common Results